

Contact: SHIVAM JAISWAL  
Call at: +91-8382086811  
GSTIN: 09FMIPP0601P1ZM

Website: [www.siddhivinayakmillcare.com](http://www.siddhivinayakmillcare.com)  
E-mail: [siddhivinayakmillcare@gmail.com](mailto:siddhivinayakmillcare@gmail.com)



# SIDDHIVINAYAK MILLCARE

Industrial Spares & Services

Address: Gurudwara Road, Nautanwa, Maharajganj, Uttar Pradesh- 273164

**SATAKE**

**BÜHLER**

**AGI MILLTEC**



**SIDDHIVINAYAK  
MILLCARE**  
Industrial Spares & Services



## COMPANY OVERVIEW

---

### About Us

At **Siddhivinayak Millcare**, we specialize in providing top-quality **Industrial Spare parts and Services**, to ensure the smooth and efficient operation of your Industry. Our Spare parts are designed for durability, precision and compatibility with leading brands like **Satake, Buhler, AGI Miltec** and all other Brands. We ensure hassle free operation of your Industry by offering end-to-end Services. Our sole motive is to take care of all your Industrial needs.

---

# Complete Solution for Industrial Spare Parts.



At **Siddhivinayak Millcare**, we provide top-quality **Industrial Spare parts and Services** to ensure seamless milling operations. Our services are designed to enhance efficiency, minimize downtime, and keep your machines running at peak performance.

## MILLING EQUIPMENTS



**WHITENER SCREENS**



**HUSKER CYLINDERS**



**SILKY SCREENS**



**ELEVATOR BUCKETS**



**Maxflow  
Filter/Regulator +  
Lubricator**



**WHITENER SCREW FEEDER**



**SILKY FRAME**



**SILKY MIXING CHAMBER**



**SILKY CAMROLL**



**SLIDE GATE**



**ELEVATOR BELTS**



**SILKY SCREW FEEDER**



**HUSKER RUBBER ROLLS**



**WHITENER ABRASIVE STONES**



**V-BELTS**




**HUSKER COUPLING**



**IMPELLERS**



**DE-STONER WOODEN FRAMES**



**DE-STONER BALLS**



**BELT PULLEY**



**WHITENER BREAKER PATTI**



**TIMING BELTS**



**RUBBER PADS**



**ELEVATOR PULLEY**



**DE-STONER ASPIRATION SLEEVE**



**VIBRO-MOTOR**



**ELEVATOR BUCKET BOLTS**



**SIDDHIVINAYAK  
MILLCARE**  
Industrial Spares & Services



**RICE LENGTH GRADER SCREEN**



**NYLON ELEVATOR BELTS**



**SYNTHETIC ELEVATOR BELTS**



**HIGH POWER MOTORS**



**S.S. ELEVATOR BUCKETS**



**RUBBER POLISHER**



**MAGNETS**



**Boiler Doors**




**BOILER GATE**



**Boiler cyclone**

# BEARINGS FROM TOP BRANDS



## PRODUCT RANGE

- ★ Spherical Roller Bearings
- ★ Tapered Roller Bearings
- ★ Cylindrical Roller Bearings
- ★ Ball Bearings
  - ★ Angular Contact Bearings
  - ★ Deep Groove Bearings
  - ★ Self Aligning Ball Bearings
- ★ Double Row Taper Roller Bearings
- ★ Four Row Taper Roller Bearings
- ★ Thrust Bearings
- ★ Four Row Cylindrical Roller Bearings
- ★ Needle Roller Bearings
- ★ Slewing Ring Bearings
- ★ Insert Bearings and Plummer Blocks



## TIMING PULLEY



## V-BELT PULLEYS



## DE STONER SLEEVE

150mm x 265mm

### Features:

- Specially designed for use in de-stoning equipment
- Manufactured with high-performance, food-grade rubber
- Flexible and abrasion-resistant to withstand rigorous operations

### Benefits:

- Facilitates efficient separation of stones and impurities
- Ensures consistent performance, improving processing efficiency
- Easy to replace and maintain, reducing downtime



## ANTI-VIBRATION MOUNT

75mm x 100mm | 90mm x 100mm | 96mm x 96mm | 110mm x 125mm

### Features

- Designed to isolate vibrations from machinery effectively
- Made from oil-resistant and weatherproof rubber compounds
- Suitable for heavy-duty industrial equipment

### Benefits


- Reduces noise and vibration for a safer and quieter environment
- Prolongs machinery lifespan by minimizing wear and tear
- Improves the stability and precision of equipment



## CARRYING ROLLER



## BELT CLEANING RETURN ROLLER



## IMPACT ROLLER



## PVC PLASTIC ROLLER



## SELF CLEANING ROLLER



## GUIDE ROLLER



## HEAVY DUTY WATER & DUST RESISTANT LABYRINTH SEAL



## CARRYING IDLER WITH FRAME SET



## SELF ALIGNING ROLLER FRAME (ADJUSTER FRAME)



**SIDDHIVINAYAK  
MILLCARE**  
Industrial Spares & Services




# CONVEYOR & ELEVATOR BELTS OF ALL TYPES

## GENERAL DUTY CONVEYOR BELT

General Duty Belt is abrasion resistant and highly resistant to cuts and gouges. These are mainly used in all mining industries and process industries such as cement (limestone), steel (crushed metallic ores), stone crushing industries (granite & blue metal) General Duty Belt is abrasion resistant, however, applications not requiring the same cut and gouge resistance as that of the M24 Grade. These conveyor belts are mainly used for conveying bauxite, asbestos, ash, chalk, cement, lime, Surface coal etc.

- TYPICAL APPLICATIONS:**
- Slag conveyors
  - Coking conveyors
  - Broken glass/cullet
  - Coal handling plants
  - Cement, concrete plants
  - Sand, gravel, stone industry
  - Road construction machinery
  - Timber industry and sawmills
  - Power plants, garbage incineration plants
  - Silica sand or materials containing silica sand
  - Recycling, compost industry, mineral processing plants



## FOOD GRADE CONVEYOR & ELEVATOR BELTING

We offers White Food Grade Conveyor & Elevator Belting manufactured for handling food materials, directly on the belt surface. These belts are white in color and do not transfer any odor or color to the food products handles.

Our Food Grade Belts are available in two distinct type of compositions, the first made from natural rubber, suited for non oil/acidic/reactive materials, and the second is the special synthetic rubber based compound suited for any oily or chemically active food products, such as meat, fruits & vegetables, free-flowing sugar, any items with high moisture content, etc.

Similar rubber cover grades are also available for elevator applications, such as grain handling, free-flowing sugar, animal feed etc.

Most popular applications include operations in the sugar industry, tea industry, tobacco, grain elevators etc.



## CHEVRON CONVEYOR BELTS

Chevron Conveyor Belts are designed for space-saving on steep inclines, even up to 40 Degrees, where they deliver increased capacity when carrying bu materials with a lump size up to 150mm, used in varied applications, such as stone, sand, fertilizer, coal, coke clinkers, potatoes, etc.

**FEATURES-** Excellent choice for high capacity conveying at steep angles to prevent load slip or product rollback Cleats integrally moulded with the top cover rubber preventing separation from the belt A large range of designs and patterns available Cleats with high abrasion resistance and elastic rubber compounds for flexibility Various cleat heights and widths available depending on the application requirements Unique Pattern design ensures, that, the belt has a smooth run on conventional return idlers, so no modification of the conveyor required. A smooth transition from a conventional flat belt to a Chevron belt can be implemented. Chevron belts manufactures, in all cover grades, viz. Abrasion Resistant M24, HR, OR, FR, White Hygienic, etc.

**SOME OF THE KEY APPLICATIONS-**

- Wood Chips
- Sand and Gravel
- Heavy Duty Scrap Metal
- Minerals - Coal and Ore
- Materials Fine Coal and Grains
- Waste and Recycling Plants.



# WHITE SYNTHETIC FOOD GRADE BELT



**SIDDHIVINAYAK  
MILLCARE**  
Industrial Spares & Services

## LIGHT IN WEIGHT-COCKTAIL GOLD

Synthetic belts are very light in weight hence saves power to a large extent & reduces the cost of production whereas rubber belts are heavier.



## STRETCH LESS-COCKTAIL GOLD

Synthetic belts are stretch-less. Hence it provides a hassle free service to the customers for a long period of time whereas rubber belts get elongated to a large extent.

## PLY 2 PLY BONDAGE-COCKTAIL GOLD

Ply to ply bonding is very strong in belts hence it gives a relief from regular ply separation complaints that the consumers face in rubber belting.



## FOOD-GRADE BELT-COCKTAIL GOLD

Synthetic belts are food grade with no smell and no taste whereas rubber belts have bad odour & are bitter to taste.

## HEAT RESISTANT-COCKTAIL GOLD

With time in rubber belts, the top layer of rubber comes off due to its continuous reaction with the environment even at room temperature. But in case of synthetic belt there is no such problem. Hence synthetic belt provides a longer life as compared to rubber belting. These belt can be used up to a temp of 100-120degree.



## WATER RESISTANT-COCKTAIL GOLD

cocktail gold belt is water resistant and can be used at sites which contain moisture or have presence of hot water.

## OIL RESISTANT-COCKTAIL GOLD

We build customised oil resistant belts for applications where materials are heavily treated with oil and does not get affected by crude oil whereas nylon woven belts gets heavier due to absorption of oil.



## HIGH BOLT TEAR RESISTANT-COCKTAIL GOLD

has high bolt tear resistant with superior fastener strength.



Conveyor Types



# CONVEYOR COUNTERS SYSTEM WITH BIG DISPLAYS AND SENSORS

## BIG DISPLAYS

### EVENT / PRESET / LENGTH COUNTERS : LINE SPEED / RPM INDICATORS



MODEL : EV 162



MODEL : LS 442



MODEL : EV 462 / PC 462



MODEL : LCLS 2442



MODEL : PC 442



MODEL : PC 2462


## DIGITAL COUNTERS AND TIMERS

	WIRELESS COUNTER	FLOW RATE INDICATOR	COIL RESISTANCE INDICATOR
<b>MODEL</b>	WC 62	Model : FIT 262 - P / 1R / C	Model : CRC 242
<b>No. of Digit Displays</b>	6	6 + 6	4
<b>Input</b>	RF Transmitter	Upper: Flow rate, Lower: Flow Totaliser	Input : Resistance
<b>Range</b>	1/2 inch seven segment display	Input : Turbine Flow Sensor	Range : 0.00 to 20.00 Ohm
<b>Dimension</b>	Inbuilt : RF Receiver	Flow Rate : 0.001 to 9999 Units/Min	Accuracy : 0.5% of Full Scale
<b>Cut-out Size</b>	25 mtr line of sight	Flow Totaliser : 0.001 to 999999 Units	96 x 96 x 110mm
<b>Application</b>	48 x 96 x 110	96 x 96 x 110mm	92 x 92mm
	92 x 46.5mm	92 x 92mm	Set Point : 2 Nos
	Torque wrench, wireless data transmission	Flow Rate Displays unit per minute	Measures Coil Resistance
	HOURLY METER	DIGITAL TIMER	THUMB WHEEL TIMER

## DIFFUSE SCAN SENSOR

	M 18 DIFFUSE SENSOR	CONNECTOR TYPE DIFFUSE	EXTENDED DIFFUSE SENSOR
<b>MODEL</b>	IRD 181 / 381 / 581 / 1181 : NPN NO IRD 182 / 382 / 582 / 1182 : NPN NC IRD 183 / 383 / 583 / 1183 : PNP NO IRD 184 / 384 / 584 / 1184 : PNP NC	IRD 181 / 381 / 581 / 1181 - C IRD 182 / 382 / 582 / 1182 - C IRD 183 / 383 / 583 / 1183 - C IRD 184 / 384 / 584 / 1184 - C	EXD 061 / 061 / 121 - NPN NO EXD 062 / 062 / 122 - NPN NC EXD 063 / 063 / 123 - PNP NO EXD 064 / 064 / 124 - PNP NC
<b>Range</b>	100 / 300 / 500 / 1000mm	100 / 300 / 500 / 1000mm	10 / 10 / 100mm
<b>Sensitivity</b>	Adjustable	Adjustable	Adjustable
<b>Dimension</b>	18 D x 75 Lmm	18 D x 80 Lmm	Extended head : 6 / 8 / 12 D x 30 L Amplifier : 18 D x 75 Lmm
	4 WIRE DIFFUSE SENSOR	4 WIRE DIFFUSE SENSOR	M 12 DIFFUSE SENSOR
<b>MODEL</b>	IRD 180 / IRD 380	IRD 1812/3812/5812 - NPN-NO+NC IRD 1834/3834/5834 - PNP-NO+NC	IRD 121-NPN NO / IRD 122-NPN NC IRD 123-PNP NO / IRD 124-PNP NC
<b>Output</b>	NPN + PNP and NO / NC Selectable	100 / 300 / 500 mm	100 mm
<b>Range</b>	100 / 300mm	Adjustable	Without Sensitivity Adjustment
<b>Sensitivity</b>	Adjustable	18 D x 75 Lmm	12 D x 80 Lmm
<b>Dimension</b>	18 D x 75 Lmm		

# GENERATOR SPARE PARTS & POWER SEMI CONDUCTOR DEVICES



**SAFETY UNIT  
MODEL : GSU-905/904**



**STOP SOLENOID  
MODEL : RTE-0512/24M  
0512K/L/R, 0512/24E,  
0512A/L, 0512/24C/L/R,  
0512EICHER  
USED : M&M, KEC, ESCORT  
CUMMINS, EICHER &  
ASHOKLEYLAND**



**SAFETY UNIT  
MODEL : ESU-01/ER**



**GENERATOR  
SPEED CONTROL UNIT  
MODEL : 5500,5111,  
5220, 5221 & ETC.**



**LLOP**



**MOULDED RECTIFIER  
MODEL : 1610, 1020, 1220**




**SLIP RINGS**



**HOURS METER  
230V**




**CARBON BRUSH  
HOLDER**



**SMPS BATTER CHARGER  
MODEL : 12V6A, 12V10A,  
12V15A, 24V06A,  
24V10A, 24V20A**




**CARBON BRUSH**



**GENERATORE DIODES  
12 AMP TO 70 AMP  
UPTO 1600 PIV**

# GENERATOR DISPLAYS WITH CONTROL PANEL

 <p>EW2 623 1</p>	 <p>EW2 622 8</p>	 <p>KG 934 1</p>	 <p>EMS 907 2</p>
 <p>EW2 631(K)(C) 2</p>	 <p>EW2 634 9</p>	 <p>EMS 926(K) 3</p>	 <p>EMS 926(G) 4</p>
 <p>EW2 634(K) 3</p>	 <p>EW2 634(C) 4</p>	 <p>EMS 927(K/G) 5</p>	 <p>EMS 936 6</p>
 <p>KC 634 1</p>	 <p>EW2 603 5</p>	 <p>EMS 953 7</p>	 <p>EMS 955 8</p>
 <p>12V10A OLD 1</p>	 <p>12V10A NEW 2</p>	 <p>DSE 4520 1</p>	 <p>DSE 4521 2</p>
 <p>24V10A OLD 3</p>	 <p>24V10A NEW 4</p>	 <p>DSE 4620 3</p>	 <p>DSE 6020 4</p>
 <p>24V20A NEW 5</p>	 <p>12V06A 6</p>	 <p>DSE 6120 5</p>	 <p>DSE 7320 6</p>
 <p>SMPS 24V,02A 7</p>	 <p>SMPS 24V,10A 8</p>	 <p>SPS 12V,10A 9</p>	<p><b>BARNINI</b></p>  <p>7 8</p>

# OTHER EQUIPMENTS AND ACCESSORIES FOR GENERATORS





**INDUSTRIAL CAPACITOR BANKS**



**CONTACTORS AND RELAYS**



Channel Magnets



Vibration Motor



Inline Vibro Screen



Hopper Magnet



Drum With Roller Magnet Combo



Rare-earth & Ferrite Magnet



Magnetic Shorting Belt



Funnel Magnet

**alaska**

**NORIMA GROUP**

**Gates**

**Regal Rexnord**


**Ulkarsh**  
FLEXIBLE COMPONENTS  
Revolving Machine

**CANVO**

**PB RANSTECH RADERS**

# AIR COMPRESSOR SPARE PARTS





**Pneumatic Cylinders**



**Filter Regulator Lubricator**



**Pressure Switches & Sensors**



**Pressure gauges**



**Pressure sensors**



**Digital pressure gauges calibration**



**Directional Control Valves**



**Electric Motion**



**I/P Converter**



**Compression force transducers**



**Flow switches**



**Temperature gauges**



**Fluid Control Valves**




**Proportional pressure control valve**




**Safety Valves**



**Gramicid-22**



**BOILER BRICKS**



**CASTABLE CEMENT**

**BOILER CHEMICALS**




**BOILER VALVES**

**BALL VALVE**



BAR STOCK BALL VALVE    HIGH PRESSURE BALL VALVE    BALL VALVE OD X OD    3 WAY BALL VALVE

**WORM GEARS OF ALL TYPES AVAILABLE**



**GSTIN:09FMIPP0601P1ZM**

**Mob. 8382086811**



# **SIDDHIVINAYAK MILL CARE**

— Industrial Spares & Services —

**Gurudwara Road, House 21, Ward Number 8,  
Nautanwa , Maharajganj, U.P. (273164)**